

**SPERM DONOR GENETIC TESTING SUMMARY**

**Donor # 7929**

Fairfax Cryobank recommends reviewing this genetic testing summary with your healthcare provider to determine suitability.

Last Updated: 02/24/2026

Donor Reported Ancestry: German, Swedish, Irish, Scottish

Jewish Ancestry: No

Genetic Test*	Result	Comments Donor's Residual Risk**
Chromosome analysis (karyotype)	Normal male karyotype	No evidence of clinically significant chromosome abnormalities
Hemoglobin evaluation	Normal hemoglobin fractionation and MCV/MCH results	Reduced risk to be a carrier for sickle cell anemia, beta thalassemia, alpha thalassemia trait (aa/-- and a-/a-) and other hemoglobinopathies
Expanded Genetic Disease Carrier Screening Panel attached - 549 diseases by gene sequencing and del/dup analysis.	<p>Carrier: <b>Achromatopsia, CNGB3-Related (CNGB3)</b></p> <p>Carrier: <b>Cartilage-Hair Hypoplasia (RMRP)</b></p> <p>Negative for other genes tested.</p>	Partner testing is recommended before using this donor.

\*No single test can screen for all genetic disorders. A negative screening result significantly reduces, but cannot eliminate, the risk for these conditions in a pregnancy.

\*\*Donor residual risk is the chance the donor is still a carrier after testing negative.

**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]

Gender: Male

Ethnicity: Northern European  
Caucasian

Patient ID: N/A

Medical Record #: 7929-[REDACTED]

Collection Kit: [REDACTED]

Accession ID: N/A

Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Phone: N/A

Report Date: 07/14/2025

Sample Collected: 07/03/2025

Sample Received: 07/05/2025

Sample Type: Blood

**CARRIER SCREENING REPORT**

**ABOUT THIS SCREEN:** Horizon™ is a carrier screen for specific autosomal recessive and X-linked diseases. This information can help patients learn their risk of having a child with specific genetic conditions.

**ORDER SELECTED:** The Horizon Custom panel was ordered for this patient. Males are not screened for X-linked diseases

**FINAL RESULTS SUMMARY:****CARRIER for Achromatopsia, CNGB3-Related**

Positive for the pathogenic variant c.1148del (p.T383Ifs\*13) in the CNGB3 gene. If this individual's partner is a carrier for ACHROMATOPSIA, CNGB3-RELATED, their chance to have a child with this condition is 1 in 4 (25%). Carrier screening for this individual's partner is suggested.

**CARRIER for Cartilage-Hair Hypoplasia**

Positive for the pathogenic variant n.71A>G in the RMRP gene. If this individual's partner is a carrier for CARTILAGE-HAIR HYPOPLASIA, their chance to have a child with this condition is 1 in 4 (25%). Carrier screening for this individual's partner is suggested.

**Negative for 547 out of 549 diseases**

No other pathogenic variants were detected in the genes that were screened. The patient's remaining carrier risk after the negative screening results is listed for each disease/gene on the Horizon website at <https://www.natera.com/panel-option/h-all/>. Please see the following pages of this report for a comprehensive list of all conditions included on this individual's screen.

Carrier screening is not diagnostic and may not detect all possible pathogenic variants in a given gene.

**RECOMMENDATIONS**

Individuals who would like to review their Horizon report with a Natera Laboratory Genetic Counselor may schedule a telephone genetic information session by calling 650-249-9090 or visiting [naterasession.com](http://naterasession.com). Clinicians with questions may contact Natera at 650-249-9090 or email [support@natera.com](mailto:support@natera.com). Individuals with positive results may wish to discuss these results with family members to allow them the option to be screened. Comprehensive genetic counseling to discuss the implications of these test results and possible associated reproductive risk is recommended.

  
Christine M. Eng, M.D.  
Medical Director, Baylor Genetics

  
Linyan Meng, Ph.D.  
Laboratory Director, Baylor Genetics

  
J. Dianne Keen-Kim, Ph.D., FACMG  
Senior Laboratory Director, Natera

  
Yang Wang, Ph.D., FACMG  
Laboratory Director, Natera

**Patient Information**

Patient Name: Donor 7929

**Test Information**

Ordering Physician: [REDACTED]



Date Of Birth: [REDACTED]

Clinic Information: Fairfax Cryobank

Case File ID: [REDACTED]

Report Date: 07/14/2025

**ACHROMATOPSIA, CNGB3-RELATED****Understanding Your Horizon Carrier Screen Results****What is Achromatopsia, CNGB3-Related?**

Achromatopsia, CNGB3-Related is an inherited condition that causes partial or complete loss of color vision. Most people with this condition have complete Achromatopsia, and can only see in shades of black, white, and gray. Other vision problems seen with Achromatopsia, CNGB3-Related include light sensitivity, reduced sharpness of vision, involuntary shaking movements of the eye (nystagmus), farsightedness or, less commonly, nearsightedness. It is common for light sensitivity and nystagmus to appear within the first few weeks or months of life, although this may improve slightly over time. Achromatopsia, CNGB3-Related is not the same as colorblindness, a condition where color can be seen but it is difficult to distinguish between certain colors. Currently there is no cure for this condition. Clinical trials involving potential new treatments for this condition may be available (see [www.clinicaltrials.gov](http://www.clinicaltrials.gov)). Although rare, some individuals will have incomplete Achromatopsia with the ability to perceive some color. Also rare is another form of the disorder called Progressive Cone Dystrophy where loss of color doesn't begin until childhood or teenage years. It is sometimes, but not always, possible to determine whether a specific CNGB3 gene change, or mutation, will cause Achromatopsia, incomplete Achromatopsia, or Progressive Cone Dystrophy. The information below is about Achromatopsia, CNGB3-Related as most people who have a mutation in one copy of the CNGB3 gene will be carriers for this condition. However, incomplete Achromatopsia and Progressive Cone Dystrophy are inherited in the same manner as Achromatopsia, CNGB3-Related and have the same reproductive options.

**What causes Achromatopsia, CNGB3-Related?**

Achromatopsia, CNGB3-Related is caused by mutations in both copies of the CNGB3 gene pair. These mutations cause the CNGB3 genes to not work properly or not work at all. When both copies of the CNGB3 gene do not work correctly, it causes the symptoms described above. Achromatopsia, CNGB3-Related is inherited in an autosomal recessive manner. This means that, in most cases, both parents must be carriers of a mutation in one copy of the CNGB3 gene to have a child with Achromatopsia, CNGB3-Related. People who are carriers for Achromatopsia, CNGB3-Related are usually healthy and do not have symptoms nor do they have Achromatopsia themselves. Usually a child inherits two copies of each gene, one copy from the mother and one copy from the father. If the mother and father are both carriers for Achromatopsia, CNGB3-Related, there is a 1 in 4, or 25%, chance in each pregnancy for both partners to pass on their CNGB3 gene mutations to the child, who will then have this condition. Individuals found to carry more than one mutation for Achromatopsia, CNGB3-Related should discuss their risk for having an affected child, and any potential risks to their own vision, with their health care provider. There are a number of other forms of Achromatopsia caused by mutations in different genes. People who are carriers of a CNGB3 gene mutation are not likely to be at increased risk for having children with these other forms of Achromatopsia.

**What can I do next?**

You may wish to speak with a local genetic counselor about your carrier test results. A genetic counselor in your area can be located on the National Society of Genetic Counselors website ([www.nsgc.org](http://www.nsgc.org)). Your siblings and other relatives are at increased risk to also have this mutation. You are encouraged to inform your family members of your test results as they may wish to consider being tested themselves. If you are pregnant, your partner can have carrier screening for Achromatopsia, CNGB3-Related ordered by a health care professional. If your partner is not found to be a carrier for Achromatopsia, CNGB3-Related, your risk of having a child with this condition is greatly reduced. Couples at risk of having a baby with Achromatopsia, CNGB3-Related can opt to have prenatal diagnosis done through chorionic villus sampling (CVS) or amniocentesis during pregnancy or can choose to have the baby tested after birth for this condition. If you are not yet pregnant, your partner can have carrier screening for Achromatopsia, CNGB3-Related ordered by a health care professional. If your partner is found to be a carrier for Achromatopsia, CNGB3-Related, you have several reproductive options to consider:

- Natural pregnancy with prenatal diagnostic testing of the fetus or testing the baby after birth for Achromatopsia, CNGB3-Related
- Preimplantation genetic diagnosis (PGD) with in vitro fertilization (IVF) to test embryos for Achromatopsia, CNGB3-Related
- Adoption or use of a sperm or egg donor who is not a carrier for Achromatopsia, CNGB3-Related

**What resources are available?**

- Genetics Home Reference: <http://ghr.nlm.nih.gov/condition/achromatopsia>
- Prenatal diagnosis by CVS: <http://www.marchofdimes.org/chorionic-villus-sampling.aspx>
- Prenatal diagnosis by amniocentesis: <http://www.marchofdimes.org/amniocentesis.aspx>
- Preimplantation genetic diagnosis (PGD) with IVF: <http://www.natera.com/spectrum>

**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]

Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Report Date: 07/14/2025

**CARTILAGE-HAIR HYPOPLASIA****Understanding Your Horizon Carrier Screen Results****What is Cartilage-Hair Hypoplasia?**

Cartilage-Hair Hypoplasia (also known as Metaphyseal Dysplasia, Type McKusick) is an inherited disorder that affects the hair, bones, and the digestive and immune systems. Signs and symptoms include abnormally fine, sparse, brittle, light-colored hair; bone abnormalities that lead to short stature due to short arms and legs (short-limbed dwarfism); constipation; problems digesting some nutrients and gluten from food; repeated infections; and increased risk for certain cancers (basal cell, leukemia, and lymphoma). The immune system impairment varies from mild to severe. People with the most severe immune system problems have repeated and long-lasting infections that can be life-threatening. Some people also have other symptoms that may include light-colored skin and abnormalities of the nails and teeth. In some cases, individuals with Cartilage-Hair Hypoplasia who have severe immune system problems have been treated with stem cell transplantation from cord blood or bone marrow. Couples at risk of having an affected child may consider cord blood banking, as siblings have a higher chance of being a match for stem cell transplantation than a non-related individual. More information can be found at: <https://parentsguidecordblood.org/en>. Rarely, mutations in the same gene cause a related disorder, either Metaphyseal Dysplasia without Hypotrichosis or Anauxetic Dysplasia. Metaphyseal Dysplasia without Hypotrichosis has similar bone symptoms and short stature as Cartilage-Hair Hypoplasia but does not cause hair abnormalities, immune system or digestive problems, or anemia. Anauxetic Dysplasia causes more severe bone abnormalities and very short stature, distinct facial features, abnormalities of the teeth, and mild intellectual disability. It is sometimes, but not always, possible to determine which of these disorders a specific mutation in the RMRP gene will cause. Currently there is no cure for any of these conditions and treatment is based on the symptoms. Clinical trials involving potential new treatments for these conditions may be available (see [www.clinicaltrials.gov](http://www.clinicaltrials.gov)). The information below is about Cartilage-Hair-Hypoplasia. However, both Metaphyseal Dysplasia without Hypotrichosis and Anauxetic Dysplasia are inherited in the same manner and have the same reproductive options as Cartilage-Hair-Hypoplasia.

**What causes Cartilage-Hair Hypoplasia?**

Cartilage-Hair Hypoplasia is caused by a gene change, or mutation, in both copies of the RMRP gene pair. These mutations cause the genes to not work properly or not work at all. When both copies of this gene do not work correctly, it leads to the symptoms described above. Cartilage-Hair Hypoplasia is inherited in an autosomal recessive manner. This means that, in most cases, both parents must be carriers of a mutation in one copy of the RMRP gene to have a child with Cartilage-Hair Hypoplasia. People who are carriers for Cartilage-Hair Hypoplasia are usually healthy and do not have symptoms nor do they have Cartilage-Hair Hypoplasia themselves. Usually a child inherits two copies of each gene, one copy from the mother and one copy from the father. If the mother and father are both carriers for Cartilage-Hair Hypoplasia, there is a 1 in 4, or 25%, chance in each pregnancy for both partners to pass on their RMRP gene mutations to the child, who will then have Cartilage-Hair Hypoplasia. Individuals found to carry more than one mutation for Cartilage-Hair-Hypoplasia or other RMRP-related disorder should discuss their risk for having an affected child, and any potential effects on their own health, with their health care provider. Rarely, specific mutations in the RMRP gene cause one of the related conditions described above instead of Cartilage-Hair Hypoplasia.

**What can I do next?**

You may wish to speak with a local genetic counselor about your carrier test results. A genetic counselor in your area can be located on the National Society of Genetic Counselors website ([www.nsgc.org](http://www.nsgc.org)). Your siblings and other relatives are at increased risk to also have this mutation. You are encouraged to inform your family members of your test results as they may wish to consider being tested themselves. If you are pregnant, your partner can have carrier screening for Cartilage-Hair Hypoplasia ordered by a health care professional. If your partner is not found to be a carrier for Cartilage-Hair Hypoplasia, your risk of having a child with this condition is greatly reduced. Couples at risk of having a baby with Cartilage-Hair Hypoplasia can opt to have prenatal diagnosis done through chorionic villus sampling (CVS) or amniocentesis during pregnancy or can choose to have the baby tested after birth for this condition. If you are not yet pregnant, your partner can have carrier screening for Cartilage-Hair Hypoplasia ordered by a health care professional. If your partner is found to be a carrier for Cartilage-Hair Hypoplasia, you have several reproductive options to consider:

- Natural pregnancy with or without prenatal diagnosis of the fetus or testing the baby after birth for Cartilage-Hair Hypoplasia or related condition
- Preimplantation genetic diagnosis (PGD) with in vitro fertilization (IVF) to test embryos for Cartilage-Hair Hypoplasia or related condition
- Adoption or use of a sperm or egg donor who is not a carrier for Cartilage-Hair Hypoplasia or related condition

**What resources are available?**

- Cartilage-Hair Hypoplasia: <https://rarediseases.org/rare-diseases/mckusick-type-metaphyseal-chondrodysplasia/>
- Genetics Home References: <http://ghr.nlm.nih.gov/condition/cartilage-hair-hypoplasia>
- GeneReviews: <http://www.ncbi.nlm.nih.gov/books/NBK84550/>
- Prenatal diagnosis done through CVS: <http://www.marchofdimes.org/chorionic-villus-sampling.aspx>
- Prenatal diagnosis done through Amniocentesis: <http://www.marchofdimes.org/amniocentesis.aspx>
- PGD with IVF: <http://www.natera.com/spectrum>

**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]

Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Report Date: 07/14/2025

**VARIANT DETAILS****CNGB3, c.1148del (p.T383Ifs\*13), pathogenic**

- The c.1148del (p.T383Ifs\*13) variant in the CNGB3 gene has been observed at a frequency of 0.1750% in the gnomAD v2.1.1 dataset.
- This variant has been reported in a homozygous state or in conjunction with another variant in individual(s) with achromatopsia (PMID: 10888875, 10958649, 15657609, 15712225, 17265047).
- This premature termination variant is predicted to cause nonsense-mediated decay (NMD) in a gene where loss-of-function is a known mechanism of disease.
- This variant has been reported in ClinVar [ID: 5225].

**RMRP, n.71A>G, pathogenic**

- The n.71A>G variant in the RMRP gene has been observed at a frequency of 0.0982% in the gnomAD v2.1.1 dataset.
- This variant has been reported in a homozygous state or in conjunction with another variant in individual(s) with cartilage-hair hypoplasia (PMID: 11207361, 17701897).
- This variant has been reported in ClinVar [ID: 14208].

**Patient Information**

Patient Name: Donor 7929

**Test Information**

Ordering Physician: [REDACTED]



Clinic Information: Fairfax Cryobank

Date Of Birth: [REDACTED]

Case File ID: [REDACTED]

Report Date: 07/14/2025

**DISEASES SCREENED**

Below is a list of all diseases screened and the result. Certain conditions have unique patient-specific numerical values, therefore, results for those conditions are formatted differently.

**Autosomal Recessive**

- 1**  
17-BETA HYDROXYSTEROID DEHYDROGENASE 3 DEFICIENCY (*HSD17B3*) **negative**
- 3**  
3-BETA-HYDROXYSTEROID DEHYDROGENASE TYPE II DEFICIENCY (*HSD3B2*) **negative**  
3-HYDROXY-3-METHYLGLUTARYL-COENZYME A LYASE DEFICIENCY (*HMGLL*) **negative**  
3-HYDROXYACYL-COA DEHYDROGENASE DEFICIENCY (*HADH*) **negative**  
3-METHYLCROTONYL-CoA CARBOXYLASE 2 DEFICIENCY (*MCCC2*) **negative**  
3-PHOSPHOGLYCERATE DEHYDROGENASE DEFICIENCY (*PHGDH*) **negative**

- 5**  
5-ALPHA-REDUCTASE DEFICIENCY (*SRD5A2*) **negative**

- 6**  
6-PYRUVYL-TETRAHYDROPTERIN SYNTHASE (PTPS) DEFICIENCY (*PTS*) **negative**

- A**  
ABCA4-RELATED CONDITIONS (*ABCA4*) **negative**  
ABETALIPOPROTEINEMIA (*MTPP*) **negative**  
ACHONDROGENESIS, TYPE 1B (*SLC26A2*) **negative**  
ACHROMATOPSIA, CNGB3-RELATED (*CNGB3*) **see first page**  
ACRODERMATITIS ENTEROPATHICA (*SLC39A4*) **negative**  
ACTION MYOCLONUS-RENAL FAILURE (AMRF) SYNDROME (*SCARB2*) **negative**  
ACUTE INFANTILE LIVER FAILURE, TRMU-RELATED (*TRMU*) **negative**  
ACYL-COA OXIDASE I DEFICIENCY (*ACOX1*) **negative**  
AICARDI-GOUTIERES SYNDROME (*SAMHD1*) **negative**  
AICARDI-GOUTIERES SYNDROME, RNASEH2A-RELATED (*RNASEH2A*) **negative**  
AICARDI-GOUTIERES SYNDROME, RNASEH2B-RELATED (*RNASEH2B*) **negative**  
AICARDI-GOUTIERES SYNDROME, RNASEH2C-RELATED (*RNASEH2C*) **negative**  
AICARDI-GOUTIERES SYNDROME, TREX1-RELATED (*TREX1*) **negative**  
ALPHA-MANNOSIDOSIS (*MAN2B1*) **negative**  
ALPHA-THALASSEMIA (*HBA1/HBA2*) **negative**  
ALPORT SYNDROME, COL4A3-RELATED (*COL4A3*) **negative**  
ALPORT SYNDROME, COL4A4-RELATED (*COL4A4*) **negative**  
ALSTROM SYNDROME (*ALMS1*) **negative**  
AMISH INFANTILE EPILEPSY SYNDROME (*ST3GAL5*) **negative**  
ANDERMANN SYNDROME (*SLC12A6*) **negative**  
ARGININE:GLYCINE AMIDINOTRANSFERASE DEFICIENCY (AGAT DEFICIENCY) (*GATM*) **negative**  
ARGININEMIA (*ARG1*) **negative**  
ARGININOSUCCINATE LYASE DEFICIENCY (*ASL*) **negative**  
AROMATASE DEFICIENCY (*CYP19A1*) **negative**  
ASPARAGINE SYNTHETASE DEFICIENCY (*ASNS*) **negative**  
ASPARTYLGLYCOSAMINURIA (*AGA*) **negative**  
ATAXIA WITH VITAMIN E DEFICIENCY (*TPA*) **negative**  
ATAXIA-TELANGIECTASIA (*ATM*) **negative**  
ATAXIA-TELANGIECTASIA-LIKE DISORDER 1 (*MRE11*) **negative**  
ATRANSFERRINEMIA (*TF*) **negative**  
AUTISM SPECTRUM, EPILEPSY AND ARTHROGRYPOSIS (*SLC35A3*) **negative**  
AUTOIMMUNE POLYGLANDULAR SYNDROME, TYPE 1 (*AIRE*) **negative**  
AUTOSOMAL RECESSIVE CONGENITAL ICHTHYOSIS (*ARCI*), SLC27A4-RELATED (*SLC27A4*) **negative**  
AUTOSOMAL RECESSIVE SPASTIC ATAXIA OF CHARLEVOIX-SAGUENAY (*SACS*) **negative**

- B**  
BARDET-BIEDL SYNDROME, ARL6-RELATED (*ARL6*) **negative**  
BARDET-BIEDL SYNDROME, BBS10-RELATED (*BBS10*) **negative**  
BARDET-BIEDL SYNDROME, BBS12-RELATED (*BBS12*) **negative**  
BARDET-BIEDL SYNDROME, BBS1-RELATED (*BBS1*) **negative**  
BARDET-BIEDL SYNDROME, BBS2-RELATED (*BBS2*) **negative**  
BARDET-BIEDL SYNDROME, BBS4-RELATED (*BBS4*) **negative**  
BARDET-BIEDL SYNDROME, BBS5-RELATED (*BBS5*) **negative**  
BARDET-BIEDL SYNDROME, BBS7-RELATED (*BBS7*) **negative**  
BARDET-BIEDL SYNDROME, BBS9-RELATED (*BBS9*) **negative**  
BARDET-BIEDL SYNDROME, TTC8-RELATED (*TTC8*) **negative**  
BARE LYMPHOCYTE SYNDROME, CIITA-RELATED (*CIITA*) **negative**  
BARTTER SYNDROME, BSND-RELATED (*BSND*) **negative**  
BARTTER SYNDROME, KCNJ1-RELATED (*KCNJ1*) **negative**  
BARTTER SYNDROME, SLC12A1-RELATED (*SLC12A1*) **negative**  
BATTEN DISEASE, CLN3-RELATED (*CLN3*) **negative**  
BETA-HEMOGLOBINOPATHIES (*HBB*) **negative**  
BETA-KETOTHIOLENE DEFICIENCY (*ACAT1*) **negative**  
BETA-MANNOSIDOSIS (*MANBA*) **negative**  
BETA-UREIDOPROPIONASE DEFICIENCY (*UPB1*) **negative**  
BILATERAL FRONTOPARIETAL POLYMICROGYRIA (*GPR56*) **negative**

- BIOTINIDASE DEFICIENCY (*BTD*) **negative**  
BIOTIN-THIAMINE-RESPONSIVE BASAL GANGLIA DISEASE (BTBGD) (*SLC19A3*) **negative**  
BLOOM SYNDROME (*BLM*) **negative**  
BRITTLE CORNEA SYNDROME 1 (*ZNF469*) **negative**  
BRITTLE CORNEA SYNDROME 2 (*PRDM5*) **negative**

- C**  
CANAVAN DISEASE (*ASPA*) **negative**  
CARBAMOYL PHOSPHATE SYNTHETASE I DEFICIENCY (*CPS1*) **negative**  
CARNITINE DEFICIENCY (*SLC22A5*) **negative**  
CARNITINE PALMITOYLTRANSFERASE IA DEFICIENCY (*CPT1A*) **negative**  
CARNITINE PALMITOYLTRANSFERASE II DEFICIENCY (*CPT2*) **negative**  
CARNITINE-ACYLCARNITINE TRANSLOCASE DEFICIENCY (*SLC25A20*) **negative**  
CARPENTER SYNDROME (*RAB23*) **negative**  
CARTILAGE-HAIR HYPOPLASIA (*RMRP*) **see first page**  
CATECHOLAMINERGIC POLYMORPHIC VENTRICULAR TACHYCARDIA (*CASQ2*) **negative**  
CD59-MEDIATED HEMOLYTIC ANEMIA (*CD59*) **negative**  
CEP152-RELATED MICROCEPHALY (*CEP152*) **negative**  
CEREBRAL DYSGENESIS, NEUROPATHY, ICHTHYOSIS, AND PALMOPLANTAR KERATODERMA (CEDNIK) SYNDROME (*SNAP29*) **negative**  
CEREBROTENDINOUS XANTHOMATOSIS (*CYP27A1*) **negative**  
CHARCOT-MARIE-TOOTH DISEASE, RECESSIVE INTERMEDIATE C (*PLEKHG5*) **negative**  
CHARCOT-MARIE-TOOTH-DISEASE, TYPE 4D (*NDRG1*) **negative**  
CHEDIAK-HIGASHI SYNDROME (*LYST*) **negative**  
CHOREOACANTHOCYTOSIS (*VPS13A*) **negative**  
CHRONIC GRANULOMATOUS DISEASE, CYBA-RELATED (*CYBA*) **negative**  
CHRONIC GRANULOMATOUS DISEASE, NCF2-RELATED (*NCF2*) **negative**  
CILIOPATHIES, RPGRIP1L-RELATED (*RPGRIP1L*) **negative**  
CITRIN DEFICIENCY (*SLC25A13*) **negative**  
CITRULLINEMIA, TYPE 1 (*ASS1*) **negative**  
CLN10 DISEASE (*CTSD*) **negative**  
COHEN SYNDROME (*VPS13B*) **negative**  
COL11A2-RELATED CONDITIONS (*COL11A2*) **negative**  
COMBINED MALONIC AND METHYLMALONIC ACIDURIA (*ACSF3*) **negative**  
COMBINED OXIDATIVE PHOSPHORYLATION DEFICIENCY 1 (*GFM1*) **negative**  
COMBINED OXIDATIVE PHOSPHORYLATION DEFICIENCY 3 (*TSFM*) **negative**  
COMBINED PITUITARY HORMONE DEFICIENCY 1 (*POU1F1*) **negative**  
COMBINED PITUITARY HORMONE DEFICIENCY-2 (*PROPL1*) **negative**  
CONGENITAL ADRENAL HYPERPLASIA, 11-BETA-HYDROXYLASE DEFICIENCY (*CYP11B1*) **negative**  
CONGENITAL ADRENAL HYPERPLASIA, 17-ALPHA-HYDROXYLASE DEFICIENCY (*CYP17A1*) **negative**  
CONGENITAL ADRENAL HYPERPLASIA, 21-HYDROXYLASE DEFICIENCY (*CYP21A2*) **negative**  
CONGENITAL ADRENAL INSUFFICIENCY, CYP11A1-RELATED (*CYP11A1*) **negative**  
CONGENITAL AMEGAKARYOCYTIC THROMBOCYTOPENIA (*MPL*) **negative**  
CONGENITAL CHRONIC DIARRHEA (*DGAT1*) **negative**  
CONGENITAL DISORDER OF GLYCOSYLATION TYPE 1, ALG1-RELATED (*ALG1*) **negative**  
CONGENITAL DISORDER OF GLYCOSYLATION, TYPE 1A, PMM2-Related (*PMM2*) **negative**  
CONGENITAL DISORDER OF GLYCOSYLATION, TYPE 1B (*MPL*) **negative**  
CONGENITAL DISORDER OF GLYCOSYLATION, TYPE 1C (*ALG6*) **negative**  
CONGENITAL DYSERYTHROPOIETIC ANEMIA TYPE 2 (*SEC23B*) **negative**  
CONGENITAL FINNISH NEPHROSIS (*NPHS1*) **negative**  
CONGENITAL HYDROCEPHALUS 1 (*CCDC88C*) **negative**  
CONGENITAL HYPERINSULINISM, KCNJ11-Related (*KCNJ11*) **negative**  
CONGENITAL INSENSITIVITY TO PAIN WITH ANHIDROSIS (CIPA) (*NTRK1*) **negative**  
CONGENITAL MYASTHENIC SYNDROME, CHAT-RELATED (*CHAT*) **negative**  
CONGENITAL MYASTHENIC SYNDROME, CHRNE-RELATED (*CHRNE*) **negative**  
CONGENITAL MYASTHENIC SYNDROME, COLQ-RELATED (*COLQ*) **negative**  
CONGENITAL MYASTHENIC SYNDROME, DOK7-RELATED (*DOK7*) **negative**  
CONGENITAL MYASTHENIC SYNDROME, RAPSIN-RELATED (*RAPSN*) **negative**  
CONGENITAL NEPHROTIC SYNDROME, PLCE1-RELATED (*PLCE1*) **negative**  
CONGENITAL NEUTROPENIA, G6PC3-RELATED (*G6PC3*) **negative**  
CONGENITAL NEUTROPENIA, HAX1-RELATED (*HAX1*) **negative**  
CONGENITAL NEUTROPENIA, VPS45-RELATED (*VPS45*) **negative**  
CONGENITAL SECRETORY CHLORIDE DIARRHEA 1 (*SLC26A3*) **negative**  
CORNEAL DYSTROPHY AND PERCEPTIVE DEAFNESS (*SLC4A11*) **negative**  
CORTICOSTERONE METHYLOXIDASE DEFICIENCY (*CYP11B2*) **negative**  
COSTEFF SYNDROME ( 3-METHYLGLUTACONIC ACIDURIA, TYPE 3 ) (*OPA3*) **negative**  
CRB1-RELATED RETINAL DYSTROPHIES (*CRB1*) **negative**  
CYSTIC FIBROSIS (*CFTR*) **negative**  
CYSTINOSIS (*CTNS*) **negative**  
CYTOCHROME C OXIDASE DEFICIENCY, PET100-RELATED (*PET100*) **negative**  
CYTOCHROME P450 OXIDOREDUCTASE DEFICIENCY (*POR*) **negative**

- D**  
D-BIFUNCTIONAL PROTEIN DEFICIENCY (*HSD17B4*) **negative**

**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]

Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Report Date: 07/14/2025



**D**  
 DEAFNESS, AUTOSOMAL RECESSIVE 77 (LOXHD1) **negative**  
 DIHYDROPTERIDINE REDUCTASE (DHPR) DEFICIENCY (QDPR) **negative**  
 DONNAI-BARROW SYNDROME (LRP2) **negative**  
 DUBIN-JOHNSON SYNDROME (ABCC2) **negative**  
 DYSKERATOSIS CONGENITA SPECTRUM DISORDERS (TERT) **negative**  
 DYSKERATOSIS CONGENITA, RTEL1-RELATED (RTEL1) **negative**  
 DYSTROPHIC EPIDERMOLYSIS BULLOSA, COL7A1-Related (COL7A1) **negative**

**E**  
 EARLY INFANTILE EPILEPTIC ENCEPHALOPATHY, CAD-RELATED (CAD) **negative**  
 EHLERS-DANLOS SYNDROME TYPE VI (PLOD1) **negative**  
 EHLERS-DANLOS SYNDROME, CLASSIC-LIKE, TNXB-RELATED (TNXB) **negative**  
 EHLERS-DANLOS SYNDROME, TYPE VII C (ADAMT52) **negative**  
 ELLIS-VAN CREVELD SYNDROME, EVC2-RELATED (EVC2) **negative**  
 ELLIS-VAN CREVELD SYNDROME, EVC-RELATED (EVC) **negative**  
 ENHANCED S-CONE SYNDROME (NR2E3) **negative**  
 EPIMERASE DEFICIENCY (GALACTOSEMIA TYPE III) (GALE) **negative**  
 EPIPHYSEAL DYSPLASIA, MULTIPLE, 7/DESBUQUOIS DYSPLASIA 1 (CANT1) **negative**  
 ERCC6-RELATED DISORDERS (ERCC6) **negative**  
 ERCC8-RELATED DISORDERS (ERCC8) **negative**  
 ETHYLMALONIC ENCEPHALOPATHY (ETHE1) **negative**

**F**  
 FACTOR XI DEFICIENCY (F11) **negative**  
 FAMILIAL DYSAUTONOMIA (IKBKAP) **negative**  
 FAMILIAL HEMOPHAGOCYtic LYMPHOHISTIOCYTOSIS, PRF1-RELATED (PRF1) **negative**  
 FAMILIAL HEMOPHAGOCYtic LYMPHOHISTIOCYTOSIS, STX11-RELATED (STX11) **negative**  
 FAMILIAL HEMOPHAGOCYtic LYMPHOHISTIOCYTOSIS, STXBP2-RELATED (STXBP2) **negative**  
 FAMILIAL HEMOPHAGOCYtic LYMPHOHISTIOCYTOSIS, UNC13D-RELATED (UNC13D) **negative**  
 FAMILIAL HYPERCHOLESTEROLEMIA, LDLRAP1-RELATED (LDLRAP1) **negative**  
 FAMILIAL HYPERCHOLESTEROLEMIA, LDLR-RELATED (LDLR) **negative**  
 FAMILIAL HYPERINSULINISM, ABCC8-RELATED (ABCC8) **negative**  
 FAMILIAL NEPHROGENIC DIABETES INSIPIDUS, AQP2-RELATED (AQP2) **negative**  
 FANCONI ANEMIA, GROUP A (FANCA) **negative**  
 FANCONI ANEMIA, GROUP C (FANCC) **negative**  
 FANCONI ANEMIA, GROUP D2 (FANCD2) **negative**  
 FANCONI ANEMIA, GROUP E (FANCE) **negative**  
 FANCONI ANEMIA, GROUP F (FANCF) **negative**  
 FANCONI ANEMIA, GROUP G (FANCG) **negative**  
 FANCONI ANEMIA, GROUP I (FANCI) **negative**  
 FANCONI ANEMIA, GROUP J (BRIP1) **negative**  
 FANCONI ANEMIA, GROUP L (FANCL) **negative**  
 FARBER LIPOGRANULOMATOSIS (ASAH1) **negative**  
 FOVEAL HYPOPLASIA (SLC38A8) **negative**  
 FRASER SYNDROME 3, GRIP1-RELATED (GRIP1) **negative**  
 FRASER SYNDROME, FRAS1-RELATED (FRAS1) **negative**  
 FRASER SYNDROME, FREM2-RELATED (FREM2) **negative**  
 FRIEDREICH ATAXIA (FXN) **negative**  
 FRUCTOSE-1,6-BISPHOSPHATASE DEFICIENCY (FBP1) **negative**  
 FUCOSIDOSIS, FUCA1-RELATED (FUCA1) **negative**  
 FUMARASE DEFICIENCY (FH) **negative**

**G**  
 GABA-TRANSAMINASE DEFICIENCY (ABAT) **negative**  
 GALACTOKINASE DEFICIENCY ( GALACTOSEMIA, TYPE II) (GALK1) **negative**  
 GALACTOSEMIA (GALT) **negative**  
 GALACTOSIALIDOSIS (CTS5A) **negative**  
 GAUCHER DISEASE (GBA) **negative**  
 GCH1-RELATED CONDITIONS (GCH1) **negative**  
 GDF5-RELATED CONDITIONS (GDF5) **negative**  
 GERODERMA OSTEODYSPLASTICA (GORAB) **negative**  
 GITELMAN SYNDROME (SLC12A3) **negative**  
 GLANZMANN THROMBASTHENIA (ITGB3) **negative**  
 GLUTARIC ACIDEMIA, TYPE 1 (GCDH) **negative**  
 GLUTARIC ACIDEMIA, TYPE 2A (ETFA) **negative**  
 GLUTARIC ACIDEMIA, TYPE 2B (ETFB) **negative**  
 GLUTARIC ACIDEMIA, TYPE 2C (ETFDH) **negative**  
 GLUTATHIONE SYNTHETASE DEFICIENCY (GSS) **negative**  
 GLYCINE ENCEPHALOPATHY, AMT-RELATED (AMT) **negative**  
 GLYCINE ENCEPHALOPATHY, GLDC-RELATED (GLDC) **negative**  
 GLYCOGEN STORAGE DISEASE TYPE 5 (McArdle Disease) (PYGM) **negative**  
 GLYCOGEN STORAGE DISEASE TYPE IXB (PHKB) **negative**  
 GLYCOGEN STORAGE DISEASE TYPE IXC (PHKG2) **negative**  
 GLYCOGEN STORAGE DISEASE, TYPE 1a (G6PC) **negative**  
 GLYCOGEN STORAGE DISEASE, TYPE 1b (SLC37A4) **negative**  
 GLYCOGEN STORAGE DISEASE, TYPE 2 (POMPE DISEASE) (GAA) **negative**  
 GLYCOGEN STORAGE DISEASE, TYPE 3 (AGL) **negative**  
 GLYCOGEN STORAGE DISEASE, TYPE 4 (GBE1) **negative**  
 GLYCOGEN STORAGE DISEASE, TYPE 7 (PFKM) **negative**

GRACILE SYNDROME (BCS1L) **negative**  
 GUANIDINOACETATE METHYLTRANSFERASE DEFICIENCY (GAMT) **negative**

**H**  
 HARLEQUIN ICHTHYOSIS (ABCA12) **negative**  
 HEME OXYGENASE 1 DEFICIENCY (HMOX1) **negative**  
 HEMOCHROMATOSIS TYPE 2A (HFE2) **negative**  
 HEMOCHROMATOSIS, TYPE 3, TFR2-Related (TFR2) **negative**  
 HEPATOCEREBRAL MITOCHONDRIAL DNA DEPLETION SYNDROME, MPV17-RELATED (MPV17) **negative**  
 HEREDITARY FRUCTOSE INTOLERANCE (ALDOB) **negative**  
 HEREDITARY HEMOCHROMATOSIS TYPE 2B (HAMP) **negative**  
 HEREDITARY SPASTIC PARAPARESIS, TYPE 49 (TECPR2) **negative**  
 HEREDITARY SPASTIC PARAPLEGIA, CYP7B1-RELATED (CYP7B1) **negative**  
 HERMANSKY-PUDLAK SYNDROME, AP3B1-RELATED (AP3B1) **negative**  
 HERMANSKY-PUDLAK SYNDROME, BLOC1S3-RELATED (BLOC1S3) **negative**  
 HERMANSKY-PUDLAK SYNDROME, BLOC1S6-RELATED (BLOC1S6) **negative**  
 HERMANSKY-PUDLAK SYNDROME, HPS1-RELATED (HPS1) **negative**  
 HERMANSKY-PUDLAK SYNDROME, HPS3-RELATED (HPS3) **negative**  
 HERMANSKY-PUDLAK SYNDROME, HPS4-RELATED (HPS4) **negative**  
 HERMANSKY-PUDLAK SYNDROME, HPS5-RELATED (HPS5) **negative**  
 HERMANSKY-PUDLAK SYNDROME, HPS6-RELATED (HPS6) **negative**  
 HOLOCARBOXYLASE SYNTHETASE DEFICIENCY (HLC5) **negative**  
 HOMOCYSTINURIA AND MEGALOBlastic ANEMIA TYPE CBLG (MTR) **negative**  
 HOMOCYSTINURIA DUE TO DEFICIENCY OF MTHFR (MTHFR) **negative**  
 HOMOCYSTINURIA, CBS-RELATED (CBS) **negative**  
 HOMOCYSTINURIA, Type cblE (MTRR) **negative**  
 HYDROLETHALUS SYNDROME (HYLS1) **negative**  
 HYPER-IGM IMMUNODEFICIENCY (CD40) **negative**  
 HYPERORNITHINEMIA-HYPERAMMONEMIA-HOMOCITRULLINURIA ( HHH SYNDROME ) (SLC25A15) **negative**  
 HYPERPHOSPHATEMIC FAMILIAL TUMORAL CALCINOSIS, GALNT3-RELATED (GALNT3) **negative**  
 HYPOMYELINATING LEUKODYSTROPHY 12 (VPS11) **negative**  
 HYPOPHOSPHATASIA, ALPL-RELATED (ALPL) **negative**

**I**  
 IMERSLUND-GRÄSBECK SYNDROME 2 (AMN) **negative**  
 IMMUNODEFICIENCY-CENTROMERIC INSTABILITY-FACIAL ANOMALIES (ICF) SYNDROME, DNMT3B-RELATED (DNMT3B) **negative**  
 IMMUNODEFICIENCY-CENTROMERIC INSTABILITY-FACIAL ANOMALIES (ICF) SYNDROME, ZBTB24-RELATED (ZBTB24) **negative**  
 INCLUSION BODY MYOPATHY 2 (GNE) **negative**  
 INFANTILE CEREBRAL AND CEREBELLAR ATROPHY (MED17) **negative**  
 INFANTILE NEPHRONOPHTHISIS (INVS) **negative**  
 INFANTILE NEUROAXONAL DYSTROPHY (PLA2G6) **negative**  
 ISOLATED ECTOPIA LENTIS (ADAMTSL4) **negative**  
 ISOLATED SULFITE OXIDASE DEFICIENCY (SUOX) **negative**  
 ISOLATED THYROID-STIMULATING HORMONE DEFICIENCY (TSHB) **negative**  
 ISOVALERIC ACIDEMIA (IVD) **negative**

**J**  
 JOHANSON-BLIZZARD SYNDROME (UBR1) **negative**  
 JOUBERT SYNDROME 2 / MECKEL SYNDROME 2 (TMEM216) **negative**  
 JOUBERT SYNDROME AND RELATED DISORDERS (JSRD), TMEM67-RELATED (TMEM67) **negative**  
 JOUBERT SYNDROME, AHI1-RELATED (AHI1) **negative**  
 JOUBERT SYNDROME, ARL13B-RELATED (ARL13B) **negative**  
 JOUBERT SYNDROME, B9D1-RELATED (B9D1) **negative**  
 JOUBERT SYNDROME, B9D2-RELATED (B9D2) **negative**  
 JOUBERT SYNDROME, C2CD3-RELATED/OROFACIODIGITAL SYNDROME 14 (C2CD3) **negative**  
 JOUBERT SYNDROME, CC2D2A-RELATED/COACH SYNDROME (CC2D2A) **negative**  
 JOUBERT SYNDROME, CEP104-RELATED (CEP104) **negative**  
 JOUBERT SYNDROME, CEP120-RELATED/SHORT-RIB THORACIC DYSPLASIA 13 WITH OR WITHOUT POLYDACTYLY (CEP120) **negative**  
 JOUBERT SYNDROME, CEP41-RELATED (CEP41) **negative**  
 JOUBERT SYNDROME, CPLANE1-RELATED / OROFACIODIGITAL SYNDROME 6 (CPLANE1) **negative**  
 JOUBERT SYNDROME, CSPP1-RELATED (CSPP1) **negative**  
 JOUBERT SYNDROME, INPP5E-RELATED (INPP5E) **negative**  
 JUNCTIONAL EPIDERMOLYSIS BULLOSA, COL17A1-RELATED (COL17A1) **negative**  
 JUNCTIONAL EPIDERMOLYSIS BULLOSA, ITGA6-RELATED (ITGA6) **negative**  
 JUNCTIONAL EPIDERMOLYSIS BULLOSA, ITGB4-RELATED (ITGB4) **negative**  
 JUNCTIONAL EPIDERMOLYSIS BULLOSA, LAMB3-RELATED (LAMB3) **negative**  
 JUNCTIONAL EPIDERMOLYSIS BULLOSA, LAMC2-RELATED (LAMC2) **negative**  
 JUNCTIONAL EPIDERMOLYSIS BULLOSA/LARYNGOONYCHOCUTANEOUS SYNDROME, LAMA3-RELATED (LAMA3) **negative**

**K**  
 KRABBE DISEASE (GALC) **negative**

**L**  
 LAMELLAR ICHTHYOSIS, TYPE 1 (TGM1) **negative**

**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]  
Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Report Date: 07/14/2025



**L**  
 LARON SYNDROME (GHR) **negative**  
 LEBER CONGENITAL AMAUROSIS 2 (RPE65) **negative**  
 LEBER CONGENITAL AMAUROSIS TYPE AIPL1 (AIPL1) **negative**  
 LEBER CONGENITAL AMAUROSIS TYPE GUCY2D (GUCY2D) **negative**  
 LEBER CONGENITAL AMAUROSIS TYPE TULP1 (TULP1) **negative**  
 LEBER CONGENITAL AMAUROSIS, IQCB1-RELATED/SENIOR-LOKEN SYNDROME 5 (IQCB1) **negative**  
 LEBER CONGENITAL AMAUROSIS, TYPE CEP290 (CEP290) **negative**  
 LEBER CONGENITAL AMAUROSIS, TYPE LCA5 (LCA5) **negative**  
 LEBER CONGENITAL AMAUROSIS, TYPE RDH12 (RDH12) **negative**  
 LEIGH SYNDROME, FRENCH-CANADIAN TYPE (LRPPRC) **negative**  
 LETHAL CONGENITAL CONTRACTURE SYNDROME 1 (GLE1) **negative**  
 LEUKOENCEPHALOPATHY WITH VANISHING WHITE MATTER (EIF2B5) **negative**  
 LEUKOENCEPHALOPATHY WITH VANISHING WHITE MATTER, EIF2B1-RELATED (EIF2B1) **negative**  
 LEUKOENCEPHALOPATHY WITH VANISHING WHITE MATTER, EIF2B2-RELATED (EIF2B2) **negative**  
 LEUKOENCEPHALOPATHY WITH VANISHING WHITE MATTER, EIF2B3-RELATED (EIF2B3) **negative**  
 LEUKOENCEPHALOPATHY WITH VANISHING WHITE MATTER, EIF2B4-RELATED (EIF2B4) **negative**  
 LIG4 SYNDROME (LIG4) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY TYPE 8 (TRIM32) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY, TYPE 2A (CAPN3) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY, TYPE 2B (DYSF) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY, TYPE 2C (SGCG) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY, TYPE 2D (SGCA) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY, TYPE 2E (SGCB) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY, TYPE 2F (SGCD) **negative**  
 LIMB-GIRDLE MUSCULAR DYSTROPHY, TYPE 2I (FKRP) **negative**  
 LIPOAMIDE DEHYDROGENASE DEFICIENCY (DIHYDROLIPOAMIDE DEHYDROGENASE DEFICIENCY) (DLD) **negative**  
 LIPOID ADRENAL HYPERPLASIA (STAR) **negative**  
 LIPOPROTEIN LIPASE DEFICIENCY (LPL) **negative**  
 LONG CHAIN 3-HYDROXYACYL-COA DEHYDROGENASE DEFICIENCY (HADHA) **negative**  
 LRAT-RELATED CONDITIONS (LRAT) **negative**  
 LUNG DISEASE, IMMUNODEFICIENCY, AND CHROMOSOME BREAKAGE SYNDROME (LICS) (NSMCE3) **negative**  
 LYSINURIC PROTEIN INTOLERANCE (SLC7A7) **negative**

**M**  
 MALONYL-COA DECARBOXYLASE DEFICIENCY (MLYCD) **negative**  
 MAPLE SYRUP URINE DISEASE, TYPE 1A (BCKDHA) **negative**  
 MAPLE SYRUP URINE DISEASE, TYPE 1B (BCKDHB) **negative**  
 MAPLE SYRUP URINE DISEASE, TYPE 2 (DBT) **negative**  
 MCKUSICK-KAUFMAN SYNDROME (MKKS) **negative**  
 MECKEL SYNDROME 7/NEPHRONOPHTHISIS 3 (NPHP3) **negative**  
 MECKEL-GRUBER SYNDROME, TYPE 1 (MKS1) **negative**  
 MECR-RELATED NEUROLOGIC DISORDER (MECR) **negative**  
 MEDIUM CHAIN ACYL-CoA DEHYDROGENASE DEFICIENCY (ACADM) **negative**  
 MEDNIK SYNDROME (AP151) **negative**  
 MEGALENCEPHALIC LEUKOENCEPHALOPATHY WITH SUBCORTICAL CYSTS (MLC1) **negative**  
 MEROSIN-DEFICIENT MUSCULAR DYSTROPHY (LAMA2) **negative**  
 METABOLIC ENCEPHALOPATHY AND ARRHYTHMIAS, TANGO2-RELATED (TANGO2) **negative**  
 METACHROMATIC LEUKODYSTROPHY, ARSA-RELATED (ARSA) **negative**  
 METACHROMATIC LEUKODYSTROPHY, PSAP-RELATED (PSAP) **negative**  
 METHYLMALONIC ACIDEMIA AND HOMOCYSTINURIA TYPE CBLF (LMBRD1) **negative**  
 METHYLMALONIC ACIDEMIA, MCEE-RELATED (MCEE) **negative**  
 METHYLMALONIC ACIDURIA AND HOMOCYSTINURIA, TYPE CBLC (MMACHC) **negative**  
 METHYLMALONIC ACIDURIA AND HOMOCYSTINURIA, TYPE CblD (MMADHC) **negative**  
 METHYLMALONIC ACIDURIA, MMAA-RELATED (MMAA) **negative**  
 METHYLMALONIC ACIDURIA, MMAB-RELATED (MMAB) **negative**  
 METHYLMALONIC ACIDURIA, TYPE MUT(0) (MUT) **negative**  
 MEVALONIC KINASE DEFICIENCY (MVK) **negative**  
 MICROCEPHALIC OSTEODYSPLASTIC PRIMORDIAL DWARFISM TYPE II (PCNT) **negative**  
 MICROPHTHALMIA / ANOPHTHALMIA, VSX2-RELATED (VSX2) **negative**  
 MITOCHONDRIAL COMPLEX 1 DEFICIENCY, ACAD9-RELATED (ACAD9) **negative**  
 MITOCHONDRIAL COMPLEX 1 DEFICIENCY, NDUFAF5-RELATED (NDUFAF5) **negative**  
 MITOCHONDRIAL COMPLEX 1 DEFICIENCY, NDUFS6-RELATED (NDUFS6) **negative**  
 MITOCHONDRIAL COMPLEX I DEFICIENCY, NUCLEAR TYPE 1 (NDUFS4) **negative**  
 MITOCHONDRIAL COMPLEX I DEFICIENCY, NUCLEAR TYPE 10 (NDUFAF2) **negative**  
 MITOCHONDRIAL COMPLEX I DEFICIENCY, NUCLEAR TYPE 17 (NDUFAF6) **negative**  
 MITOCHONDRIAL COMPLEX I DEFICIENCY, NUCLEAR TYPE 19 (FOXRED1) **negative**  
 MITOCHONDRIAL COMPLEX I DEFICIENCY, NUCLEAR TYPE 3 (NDUFS7) **negative**  
 MITOCHONDRIAL COMPLEX I DEFICIENCY, NUCLEAR TYPE 4 (NDUFV1) **negative**  
 MITOCHONDRIAL COMPLEX IV DEFICIENCY, NUCLEAR TYPE 2, SCO2-RELATED (SCO2) **negative**  
 MITOCHONDRIAL COMPLEX IV DEFICIENCY, NUCLEAR TYPE 6 (COX15) **negative**  
 MITOCHONDRIAL DNA DEPLETION SYNDROME 2 (TK2) **negative**

MITOCHONDRIAL DNA DEPLETION SYNDROME 3 (DGUOK) **negative**  
 MITOCHONDRIAL MYOPATHY AND SIDEROBLASTIC ANEMIA (MLASA1) (PUS1) **negative**  
 MITOCHONDRIAL TRIFUNCTIONAL PROTEIN DEFICIENCY, HADHB-RELATED (HADHB) **negative**  
 MOLYBDENUM COFACTOR DEFICIENCY TYPE B (MOCOS2) **negative**  
 MOLYBDENUM COFACTOR DEFICIENCY, TYPE A (MOCOS1) **negative**  
 MUCOLIPIDOSIS II/III A (GNPTAB) **negative**  
 MUCOLIPIDOSIS III GAMMA (GNPTG) **negative**  
 MUCOLIPIDOSIS, TYPE IV (MCOLN1) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE I (HURLER SYNDROME) (IDUA) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE III A ( SANFILIPPO A ) (SGSH) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE III B ( SANFILIPPO B ) (NAGLU) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE III C ( SANFILIPPO C ) (HGSNAT) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE III D ( SANFILIPPO D ) (GNS) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE IV A (MORQUIO SYNDROME) (GALNS) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE IV B/GM1 GANGLIOSIDOSIS (GLB1) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE IX (HYAL1) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE VI ( MARTEAUX-LAMY ) (ARSB) **negative**  
 MUCOPOLYSACCHARIDOSIS, TYPE VII (GUSB) **negative**  
 MULIBREY NANISM (TRIM37) **negative**  
 MULTIPLE PTERYGIUM SYNDROME, CHRNG-RELATED/ESCOBAR SYNDROME (CHRNG) **negative**  
 MULTIPLE SULFATASE DEFICIENCY (SUMF1) **negative**  
 MUSCLE-EYE-BRAIN DISEASE, POMGNT1-RELATED (POMGNT1) **negative**  
 MUSCULAR DYSTROPHY-DYSTROGLYCANOPATHY (RYXL1) **negative**  
 MUSK-RELATED CONGENITAL MYASTHENIC SYNDROME (MUSK) **negative**  
 MYONEUROGASTROINTESTINAL ENCEPHALOPATHY (MNGIE) (TYMP) **negative**  
 MYOTONIA CONGENITA (CLCN1) **negative**

**N**  
 N-ACETYLGLUTAMATE SYNTHASE DEFICIENCY (NAGS) **negative**  
 NEMALINE MYOPATHY, NEB-RELATED (NEB) **negative**  
 NEPHRONOPHTHISIS 1 (NPHP1) **negative**  
 NEURONAL CEROID LIPOFUSCINOSIS, CLN5-RELATED (CLN5) **negative**  
 NEURONAL CEROID LIPOFUSCINOSIS, CLN6-RELATED (CLN6) **negative**  
 NEURONAL CEROID LIPOFUSCINOSIS, CLN8-RELATED (CLN8) **negative**  
 NEURONAL CEROID LIPOFUSCINOSIS, MFSDB-RELATED (MFSDB) **negative**  
 NEURONAL CEROID LIPOFUSCINOSIS, PPT1-RELATED (PPT1) **negative**  
 NEURONAL CEROID LIPOFUSCINOSIS, TPP1-RELATED (TPP1) **negative**  
 NGLY1-CONGENITAL DISORDER OF GLYCOSYLATION (NGLY1) **negative**  
 NIEMANN-PICK DISEASE, TYPE C1 / D (NPC1) **negative**  
 NIEMANN-PICK DISEASE, TYPE C2 (NPC2) **negative**  
 NIEMANN-PICK DISEASE, TYPES A / B (SMPD1) **negative**  
 NIJMEGEN BREAKAGE SYNDROME (NBN) **negative**  
 NON-SYNDROMIC HEARING LOSS, GJB2-RELATED (GJB2) **negative**  
 NON-SYNDROMIC HEARING LOSS, MYO15A-RELATED (MYO15A) **negative**  
 NONSYNDROMIC HEARING LOSS, OTOA-RELATED (OTOA) **negative**  
 NONSYNDROMIC HEARING LOSS, OTOF-RELATED (OTOF) **negative**  
 NONSYNDROMIC HEARING LOSS, PJKV-RELATED (PJKV) **negative**  
 NONSYNDROMIC HEARING LOSS, SYNE4-RELATED (SYNE4) **negative**  
 NONSYNDROMIC HEARING LOSS, TMC1-RELATED (TMC1) **negative**  
 NONSYNDROMIC HEARING LOSS, TMPRSS3-RELATED (TMPRSS3) **negative**  
 NONSYNDROMIC INTELLECTUAL DISABILITY (CC2D1A) **negative**  
 NORMOPHOSPHATEMIC TUMORAL CALCINOSIS (SAMD9) **negative**

**O**  
 OCULOCUTANEOUS ALBINISM TYPE III (TYRP1) **negative**  
 OCULOCUTANEOUS ALBINISM TYPE IV (SLC45A2) **negative**  
 OCULOCUTANEOUS ALBINISM, OCA2-RELATED (OCA2) **negative**  
 OCULOCUTANEOUS ALBINISM, TYPES 1A AND 1B (TYR) **negative**  
 ODONTO-ONYCHO-DERMAL DYSPLASIA / SCHOPF-SCHULZ-PASSARGE SYNDROME (WNT10A) **negative**  
 OMENN SYNDROME, RAG2-RELATED (RAG2) **negative**  
 ORNITHINE AMINOTRANSFERASE DEFICIENCY (OAT) **negative**  
 OSTEOGENESIS IMPERFECTA TYPE VII (CRTAP) **negative**  
 OSTEOGENESIS IMPERFECTA TYPE VIII (P3H1) **negative**  
 OSTEOGENESIS IMPERFECTA TYPE XI (FKBP10) **negative**  
 OSTEOGENESIS IMPERFECTA TYPE XIII (BMP1) **negative**  
 OSTEOPECTROSIS, INFANTILE MALIGNANT, TCIRG1-RELATED (TCIRG1) **negative**  
 OSTEOPECTROSIS, OSTM1-RELATED (OSTM1) **negative**

**P**  
 PANTOTHENATE KINASE-ASSOCIATED NEURODEGENERATION (PANK2) **negative**  
 PAPILLON LEFÈVRE SYNDROME (CTSC) **negative**  
 PARKINSON DISEASE 15 (FBXO7) **negative**  
 PENDRED SYNDROME (SLC26A4) **negative**  
 PERLMAN SYNDROME (DIS3L2) **negative**  
 PGM3-CONGENITAL DISORDER OF GLYCOSYLATION (PGM3) **negative**  
 PHENYLKETONURIA (PAH) **negative**  
 PIGN-CONGENITAL DISORDER OF GLYCOSYLATION (PIGN) **negative**  
 PITUITARY HORMONE DEFICIENCY, COMBINED 3 (LHX3) **negative**  
 POLG-RELATED DISORDERS (POLG) **negative**



**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]

Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Report Date:

07/14/2025



**P**  
 POLYCYSTIC KIDNEY DISEASE, AUTOSOMAL RECESSIVE (*PKHD1*) **negative**  
 PONTOCEREBELLAR HYPOPLASIA, EXOSC3-RELATED (*EXOSC3*) **negative**  
 PONTOCEREBELLAR HYPOPLASIA, RARS2-RELATED (*RARS2*) **negative**  
 PONTOCEREBELLAR HYPOPLASIA, TSEN2-RELATED (*TSEN2*) **negative**  
 PONTOCEREBELLAR HYPOPLASIA, TSEN54-RELATED (*TSEN54*) **negative**  
 PONTOCEREBELLAR HYPOPLASIA, TYPE 1A (*VRK1*) **negative**  
 PONTOCEREBELLAR HYPOPLASIA, TYPE 2D (*SEPSECS*) **negative**  
 PONTOCEREBELLAR HYPOPLASIA, VPS53-RELATED (*VPS53*) **negative**  
 PRIMARY CILIARY DYSKINESIA, CCDC103-RELATED (*CCDC103*) **negative**  
 PRIMARY CILIARY DYSKINESIA, CCDC39-RELATED (*CCDC39*) **negative**  
 PRIMARY CILIARY DYSKINESIA, DNAH11-RELATED (*DNAH11*) **negative**  
 PRIMARY CILIARY DYSKINESIA, DNAH5-RELATED (*DNAH5*) **negative**  
 PRIMARY CILIARY DYSKINESIA, DNAI1-RELATED (*DNAI1*) **negative**  
 PRIMARY CILIARY DYSKINESIA, DNAI2-RELATED (*DNAI2*) **negative**  
 PRIMARY CONGENITAL GLAUCOMA/PETERS ANOMALY (*CYP1B1*) **negative**  
 PRIMARY HYPEROXALURIA, TYPE 1 (*AGXT*) **negative**  
 PRIMARY HYPEROXALURIA, TYPE 2 (*GRHPR*) **negative**  
 PRIMARY HYPEROXALURIA, TYPE 3 (*HOGA1*) **negative**  
 PRIMARY MICROCEPHALY 1, AUTOSOMAL RECESSIVE (*MCPH1*) **negative**  
 PROGRESSIVE EARLY-ONSET ENCEPHALOPATHY WITH BRAIN ATROPHY AND THIN CORPUS CALLOSUM (*TBCD*) **negative**  
 PROGRESSIVE FAMILIAL INTRAHEPATIC CHOLESTASIS, ABCB4-RELATED (*ABCB4*) **negative**  
 PROGRESSIVE FAMILIAL INTRAHEPATIC CHOLESTASIS, TYPE 1 (PFIC1) (*ATP8B1*) **negative**  
 PROGRESSIVE FAMILIAL INTRAHEPATIC CHOLESTASIS, TYPE 2 (ABCB11) **negative**  
 PROGRESSIVE FAMILIAL INTRAHEPATIC CHOLESTASIS, TYPE 4 (PFIC4) (*TJP2*) **negative**  
 PROGRESSIVE PSEUDORHEUMATOID DYSPLASIA (*CCN6*) **negative**  
 PROLIDASE DEFICIENCY (*PEPD*) **negative**  
 PROPIONIC ACIDEMIA, PCCA-RELATED (*PCCA*) **negative**  
 PROPIONIC ACIDEMIA, PCCB-RELATED (*PCCB*) **negative**  
 PSEUDOXANTHOMA ELASTICUM (*ABCC6*) **negative**  
 PTERIN-4 ALPHA-CARBINOLAMINE DEHYDRATASE (PCD) DEFICIENCY (*PCBD1*) **negative**  
 PYCNOXYSTOSIS (*CTSK*) **negative**  
 PYRIDOXAL 5'-PHOSPHATE-DEPENDENT EPILEPSY (*PNPO*) **negative**  
 PYRIDOXINE-DEPENDENT EPILEPSY (*ALDH7A1*) **negative**  
 PYRUVATE CARBOXYLASE DEFICIENCY (*PC*) **negative**  
 PYRUVATE DEHYDROGENASE DEFICIENCY, PDHB-RELATED (*PDHB*) **negative**

**R**  
 REFSUM DISEASE, PHYH-RELATED (*PHYH*) **negative**  
 RENAL TUBULAR ACIDOSIS AND DEAFNESS, ATP6V1B1-RELATED (*ATP6V1B1*) **negative**  
 RENAL TUBULAR ACIDOSIS, PROXIMAL, WITH OCULAR ABNORMALITIES AND MENTAL RETARDATION (*SLC4A4*) **negative**  
 RETINITIS PIGMENTOSA 25 (*EYS*) **negative**  
 RETINITIS PIGMENTOSA 26 (*CERKL*) **negative**  
 RETINITIS PIGMENTOSA 28 (*FAM161A*) **negative**  
 RETINITIS PIGMENTOSA 36 (*PRCD*) **negative**  
 RETINITIS PIGMENTOSA 59 (*DHDDS*) **negative**  
 RETINITIS PIGMENTOSA 62 (*MAK*) **negative**  
 RHIZOMELIC CHONDRODYSPLASIA PUNCTATA, TYPE 1 (*PEX7*) **negative**  
 RHIZOMELIC CHONDRODYSPLASIA PUNCTATA, TYPE 2 (*GNPAT*) **negative**  
 RHIZOMELIC CHONDRODYSPLASIA PUNCTATA, TYPE 3 (*AGPS*) **negative**  
 RLBP1-RELATED RETINOPATHY (*RLBP1*) **negative**  
 ROBERTS SYNDROME (*ESCO2*) **negative**  
 RYR1-RELATED CONDITIONS (*RYR1*) **negative**

**S**  
 SALLA DISEASE (*SLC17A5*) **negative**  
 SANDHOFF DISEASE (*HEXB*) **negative**  
 SCHIMKE IMMUNOSKELETAL DYSPLASIA (*SMARCAL1*) **negative**  
 SCHINDLER DISEASE (*NAGA*) **negative**  
 SEGAWA SYNDROME, TH-RELATED (*TH*) **negative**  
 SENIOR-LOKEN SYNDROME 4/NEPHRONOPHTHISIS 4 (*NPHP4*) **negative**  
 SEPIAPTERIN REDUCTASE DEFICIENCY (*SPR*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), CD3D-RELATED (*CD3D*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), CD3E-RELATED (*CD3E*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), FOXN1-RELATED (*FOXN1*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), IKBKB-RELATED (*IKBKB*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), IL7R-RELATED (*IL7R*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), JAK3-RELATED (*JAK3*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), PTPRC-RELATED (*PTPRC*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY (SCID), RAG1-RELATED (*RAG1*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY, ADA-Related (*ADA*) **negative**  
 SEVERE COMBINED IMMUNODEFICIENCY, TYPE ATHABASKAN (*DCLRE1C*) **negative**  
 SHORT-RIB THORACIC DYSPLASIA 3 WITH OR WITHOUT POLYDACTYLY (*DYNC2H1*) **negative**  
 SHWACHMAN-DIAMOND SYNDROME, SBDS-RELATED (*SBDS*) **negative**  
 SIALIDOSIS (*NEU1*) **negative**  
 SJÖGREN-LARSSON SYNDROME (*ALDH3A2*) **negative**  
 SMITH-LEMLI-OPITZ SYNDROME (*DHCR7*) **negative**  
 SPASTIC PARAPLEGIA, TYPE 15 (*ZFYVE26*) **negative**

SPASTIC TETRAPLEGIA, THIN CORPUS CALLOSUM, AND PROGRESSIVE MICROCEPHALY (SPATCCM) (*SLC1A4*) **negative**  
 SPG11-RELATED CONDITIONS (*SPG11*) **negative**  
 SPINAL MUSCULAR ATROPHY (*SMN1*) **negative** SMN1: Two copies; g.27134T>G: absent; the absence of the g.27134T>G variant decreases the chance to be a silent (2+0) carrier.  
 SPINAL MUSCULAR ATROPHY WITH RESPIRATORY DISTRESS TYPE 1 (*IGHMBP2*) **negative**  
 SPINOCEREBELLAR ATAXIA, AUTOSOMAL RECESSIVE 10 (*ANO10*) **negative**  
 SPINOCEREBELLAR ATAXIA, AUTOSOMAL RECESSIVE 12 (*WWOX*) **negative**  
 SPONDYLOCOSTAL DYSOSTOSIS 1 (*DLL3*) **negative**  
 SPONDYLOTHORACIC DYSOSTOSIS, MESP2-Related (*MESP2*) **negative**  
 STEEL SYNDROME (*COL27A1*) **negative**  
 STEROID-RESISTANT NEPHROTIC SYNDROME (*NPHS2*) **negative**  
 STUVE-WIEDEMANN SYNDROME (*LIFR*) **negative**  
 SURF1-RELATED CONDITIONS (*SURF1*) **negative**  
 SURFACTANT DYSFUNCTION, ABCA3-RELATED (*ABCA3*) **negative**

**T**  
 TAY-SACHS DISEASE (*HEXA*) **negative**  
 TBCE-RELATED CONDITIONS (*TBCE*) **negative**  
 THIAMINE-RESPONSIVE MEGALOBlastic ANEMIA SYNDROME (*SLC19A2*) **negative**  
 THYROID DYSHORMONOGENESIS 1 (*SLC5A5*) **negative**  
 THYROID DYSHORMONOGENESIS 2A (*TPO*) **negative**  
 THYROID DYSHORMONOGENESIS 3 (TG) **negative**  
 THYROID DYSHORMONOGENESIS 6 (*DUOX2*) **negative**  
 TRANSCOBALAMIN II DEFICIENCY (*TCN2*) **negative**  
 TRICHOHEPATOENTERIC SYNDROME, SKIC2-RELATED (*SKIC2*) **negative**  
 TRICHOHEPATOENTERIC SYNDROME, TTC37-RELATED (*TTC37*) **negative**  
 TRICHOHYDRODYSPLASIA 1/XERODERMA PIGMENTOSUM, GROUP D (*ERCC2*) **negative**  
 TRIMETHYLAMINURIA (*FMO3*) **negative**  
 TRIPLE A SYNDROME (*AAA5*) **negative**  
 TSHR-RELATED CONDITIONS (*TSHR*) **negative**  
 TYROSINEMIA TYPE III (*HPD*) **negative**  
 TYROSINEMIA, TYPE 1 (*FAH*) **negative**  
 TYROSINEMIA, TYPE 2 (*TAT*) **negative**

**U**  
 USHER SYNDROME, TYPE 1B (*MYO7A*) **negative**  
 USHER SYNDROME, TYPE 1C (*USH1C*) **negative**  
 USHER SYNDROME, TYPE 1D (*CDH23*) **negative**  
 USHER SYNDROME, TYPE 1F (*PCDH15*) **negative**  
 USHER SYNDROME, TYPE 1J/DEAFNESS, AUTOSOMAL RECESSIVE, 48 (*CIB2*) **negative**  
 USHER SYNDROME, TYPE 2A (*USH2A*) **negative**  
 USHER SYNDROME, TYPE 2C (*ADGRV1*) **negative**  
 USHER SYNDROME, TYPE 3 (*CLRN1*) **negative**

**V**  
 VERY LONG-CHAIN ACYL-CoA DEHYDROGENASE DEFICIENCY (*ACADVL*) **negative**  
 VICI SYNDROME (*EPG5*) **negative**  
 VITAMIN D-DEPENDENT RICKETS, TYPE 1A (*CYP27B1*) **negative**  
 VITAMIN D-RESISTANT RICKETS TYPE 2A (*VDR*) **negative**  
 VLDLR-ASSOCIATED CEREBELLAR HYPOPLASIA (*VLDLR*) **negative**

**W**  
 WALKER-WARBURG SYNDROME, CRPPA-RELATED (*CRPPA*) **negative**  
 WALKER-WARBURG SYNDROME, FKTN-RELATED (*FKTN*) **negative**  
 WALKER-WARBURG SYNDROME, LARGE1-RELATED (*LARGE1*) **negative**  
 WALKER-WARBURG SYNDROME, POMT1-RELATED (*POMT1*) **negative**  
 WALKER-WARBURG SYNDROME, POMT2-RELATED (*POMT2*) **negative**  
 WARSAW BREAKAGE SYNDROME (*DDX11*) **negative**  
 WERNER SYNDROME (*WRN*) **negative**  
 WILSON DISEASE (*ATP7B*) **negative**  
 WOLCOTT-RALLISON SYNDROME (*EIF2AK3*) **negative**  
 WOLMAN DISEASE (*LIPA*) **negative**  
 WOODHOUSE-SAKATI SYNDROME (*DCAF17*) **negative**

**X**  
 XERODERMA PIGMENTOSUM VARIANT TYPE (*POLH*) **negative**  
 XERODERMA PIGMENTOSUM, GROUP A (*XPA*) **negative**  
 XERODERMA PIGMENTOSUM, GROUP C (*XPC*) **negative**

**Z**  
 ZELLWEGER SPECTRUM DISORDER, PEX13-RELATED (*PEX13*) **negative**  
 ZELLWEGER SPECTRUM DISORDER, PEX16-RELATED (*PEX16*) **negative**  
 ZELLWEGER SPECTRUM DISORDER, PEX5-RELATED (*PEX5*) **negative**  
 ZELLWEGER SPECTRUM DISORDERS, PEX10-RELATED (*PEX10*) **negative**  
 ZELLWEGER SPECTRUM DISORDERS, PEX12-RELATED (*PEX12*) **negative**  
 ZELLWEGER SPECTRUM DISORDERS, PEX1-RELATED (*PEX1*) **negative**  
 ZELLWEGER SPECTRUM DISORDERS, PEX26-RELATED (*PEX26*) **negative**  
 ZELLWEGER SPECTRUM DISORDERS, PEX2-RELATED (*PEX2*) **negative**

**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]

Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Report Date: 07/14/2025



Z  
ZELLWEGER SPECTRUM DISORDERS, PEX6-RELATED (PEX6) **negative**

**Patient Information**  
Patient Name: Donor 7929

Date Of Birth: [REDACTED]  
Case File ID: [REDACTED]

**Test Information**  
Ordering Physician: [REDACTED]  
Clinic Information: Fairfax Cryobank

Report Date: 07/14/2025



## Testing Methodology, Limitations, and Comments:

### Next-generation sequencing (NGS)

Sequencing library prepared from genomic DNA isolated from a patient sample is enriched for targets of interest using standard hybridization capture protocols and PCR amplification (for targets specified below). NGS is then performed to achieve the standards of quality control metrics, including a minimum coverage of 99% of targeted regions at 20X sequencing depth. Sequencing data is aligned to human reference sequence, followed by deduplication, metric collection and variant calling (coding region +/- 20bp). Variants are then classified according to ACMGG/AMP standards of interpretation using publicly available databases including but not limited to ENSEMBL, HGMD Pro, ClinGen, ClinVar, 1000G, ESP and gnomAD. Variants predicted to be pathogenic or likely pathogenic for the specified diseases are reported. It should be noted that the data interpretation is based on our current understanding of the genes and variants at the time of reporting. Putative positive sequencing variants that do not meet internal quality standards or are within highly homologous regions are confirmed by Sanger sequencing or gene-specific long-range PCR as needed prior to reporting.

Copy Number Variant (CNV) analysis is limited to deletions involving two or more exons for all genes on the panel, in addition to specific known recurrent single-exon deletions. CNVs of small size may have reduced detection rate. This method does not detect gene inversions, single-exonic and sub-exonic deletions (unless otherwise specified), and duplications of all sizes (unless otherwise specified). Additionally, this method does not define the exact breakpoints of detected CNV events. Confirmation testing for copy number variation is performed by specific PCR, Multiplex Ligation-dependent Probe Amplification (MLPA), next generation sequencing, or other methodology.

This test may not detect certain variants due to local sequence characteristics, high/low genomic complexity, homologous sequence, or allele dropout (PCR-based assays). Variants within noncoding regions (promoter, 5'UTR, 3'UTR, deep intronic regions, unless otherwise specified), small deletions or insertions larger than 25bp, low-level mosaic variants, structural variants such as inversions, and/or balanced translocations may not be detected with this technology.

### SPECIAL NOTES

For ABCC6, sequencing variants in exons 1-7 are not detected due to the presence of regions of high homology.

For CFTR, when the CFTR R117H variant is detected, reflex analysis of the polythymidine variations (5T, 7T and 9T) at the intron 9 branch/acceptor site of the CFTR gene will be performed. Multi-exon duplication analysis is included.

For CYP21A2, targets were enriched using long-range PCR amplification, followed by next generation sequencing. Duplication analysis will only be performed and reported when c.955C>T (p.Q319\*) is detected. Sequencing and CNV analysis may have reduced sensitivity, if variants result from complex rearrangements, in trans with a gene deletion, or CYP21A2 gene duplication on one chromosome and deletion on the other chromosome. This analysis cannot detect sequencing variants located on the CYP21A2 duplicated copy.

For DDX11, sequencing variants in exons 7-11 and CNV for the entire gene are not analyzed due to high sequence homology.

For GJB2, CNV analysis of upstream deletions of GJB6-D13S1830 (309kb deletion) and GJB6-D13S1854 (232kb deletion) is included.

For HBA1/HBA2, CNV analysis is offered to detect common deletions of -alpha3.7, -alpha4.2, --MED, --SEA, --FIL, --THAI, --alpha20.5, and/or HS-40.

For OTOA, sequencing variants in exons 25-29 and CNV in exons 21-29 are not analyzed due to high sequence homology.

For RPGRIP1L, variants in exon 23 are not detected due to assay limitation.

For SAMD9, only p.K1495E variant will be analyzed and reported.

### Friedreich Ataxia (FXN)

The GAA repeat region of the FXN gene is assessed by trinucleotide PCR assay and capillary electrophoresis. Variances of +/-1 repeat for normal alleles and up to +/-3 repeats for premutation alleles may occur. For fully penetrant expanded alleles, the precise repeat size cannot be determined, therefore the approximate allele size is reported. Sequencing and copy number variants are analyzed by next-generation sequencing analysis.

### Friedreich Ataxia Repeat Categories

Categories	GAA Repeat Sizes
Normal	<34
Premutation	34 - 65
Full	>65

**Patient Information**

Patient Name: Donor 7929

Date Of Birth: [REDACTED]

Case File ID: [REDACTED]

**Test Information**

Ordering Physician: [REDACTED]

Clinic Information: Fairfax Cryobank

Report Date: 07/14/2025

**Spinal Muscular Atrophy (SMN1)**

The total combined copy number of SMN1 and SMN2 exon 7 is quantified based on NGS read depth. The ratio of SMN1 to SMN2 is calculated based on the read depth of a single nucleotide that distinguishes these two genes in exon 7. In addition to copy number analysis, testing for the presence or absence of a single nucleotide polymorphism (g.27134T>G in intron 7 of SMN1) associated with the presence of a SMN1 duplication allele is performed using NGS.

Ethnicity	Two SMN1 copies carrier risk before g.27134T>G testing	Carrier risk after g.27134T>G testing	
		g.27134T>G ABSENT	g.27134T>G PRESENT
Caucasian	1 in 632	1 in 769	1 in 29
Ashkenazi Jewish	1 in 350	1 in 580	LIKELY CARRIER
Asian	1 in 628	1 in 702	LIKELY CARRIER
African-American	1 in 121	1 in 396	1 in 34
Hispanic	1 in 1061	1 in 1762	1 in 140

**Variant Classification**

Only pathogenic or likely pathogenic variants are reported. Other variants including benign variants, likely benign variants, variants of uncertain significance, or inconclusive variants identified during this analysis may be reported in certain circumstances. Our laboratory's variant classification criteria are based on the ACMG and internal guidelines and our current understanding of the specific genes. This interpretation may change over time as more information about a gene and/or variant becomes available. Natera and its lab partner(s) may reclassify variants at certain intervals but may not release updated reports without a specific request made to Natera by the ordering provider. Natera may disclose incidental findings if deemed clinically pertinent to the test performed.

**Negative Results**

A negative carrier screening result reduces the risk for a patient to be a carrier of a specific disease but does not completely rule out carrier status. Please visit <https://www.natera.com/panel-option/h-all/> for a table of carrier rates, detection rates, residual risks and promised variants/exons per gene. Carrier rates before and after testing vary by ethnicity and assume a negative family history for each disease screened and the absence of clinical symptoms in the patient. Any patient with a family history for a specific genetic disease will have a higher carrier risk prior to testing and, if the disease-causing mutation in their family is not included on the test, their carrier risk would remain unchanged. Genetic counseling is recommended for patients with a family history of genetic disease so that risk figures based on actual family history can be determined and discussed along with potential implications for reproduction. Horizon carrier screening has been developed to identify the reproductive risks for monogenic inherited conditions. Even when one or both members of a couple screen negative for pathogenic variants in a specific gene, the disease risk for their offspring is not zero. There is still a low risk for the condition in their offspring due to a number of different mechanisms that are not detected by Horizon including, but not limited to, pathogenic variant(s) in the tested gene or in a different gene not included on Horizon, pathogenic variant(s) in an upstream regulator, uniparental disomy, de novo mutation(s), or digenic or polygenic inheritance.

**Additional Comments**

These analyses generally provide highly accurate information regarding the patient's carrier status. Despite this high level of accuracy, it should be kept in mind that there are many potential sources of diagnostic error, including misidentification of samples, polymorphisms, or other rare genetic variants that interfere with analysis. Families should understand that rare diagnostic errors may occur for these reasons.