

Donor 5235

Genetic Testing Summary

Fairfax Cryobank recommends reviewing this genetic testing summary with your healthcare provider to determine suitability.

Last Updated: 08/14/18

Donor Reported Ancestry: Chinese

Jewish Ancestry: No

Genetic Test*	Result	Comments/Donor's Residual Risk**

Chromosome analysis (karyotype)	Normal male karyotype	No evidence of clinically significant chromosome abnormalities
Hemoglobin evaluation	Normal hemoglobin fractionation and MCV/MCH results	Reduced risk to be a carrier for sickle cell anemia, beta thalassemia, alpha thalassemia trait (aa/ and a-/a-) and other hemoglobinopathies
Cystic Fibrosis (CF) carrier screening	Negative by genotyping of 147 mutations in the CFTR gene	1/280
Spinal Muscular Atrophy (SMA) carrier screening	Negative for deletions of exon 7 in the SMN1 gene	1/628
Standard testing attached- 22 diseases by genotyping	Negative for mutations tested	

*No single test can screen for all genetic disorders. A negative screening result significantly reduces, but cannot eliminate, the risk for these conditions in a pregnancy.

**Donor residual risk is the chance the donor is still a carrier after testing negative.



CarrierMap™

Ordering Practice:	Donor 5235	Partner Not Tested
Practice Code:	DOB:	
Fairfax Cryobank	Gender: Male	
,	Ethnicity: East Asian	
	Procedure ID: 36588	
Physician:	Kit Barcode:	
Report Generated: 2015-12-03	Method: Genotyping	
	Specimen: Blood, #38087	
	Specimen Collection: 2015-11-24	
	Specimen Received: 2015-11-25	
	Specimen Analyzed: 2015-12-03	
SUMMARY OF RESULTS		NO MUTATIONS IDENTIFIED

All mutations analyzed were not detected, reducing but not eliminating your chance to be a carrier for the associated genetic diseases. A list of all the diseases and mutations you were screened for is included later in this report. The test does not screen for every possible genetic disease.

For disease information, please visit www.recombine.com/diseases. To speak with a Genetic Counselor, call 855.OUR.GENES.

o'' Male

Panel: Fairfax Cryobank Panel V2, Diseases Tested: 22, Mutations Tested: 451, Genes Tested: 22, Null Calls: 0

Assay performed by Reprogenetics CLIA ID: 31D1054821 Lab Technician Bo Chu

Donor 5235

Reviewed by Pere Colls, PhD, HCLD, Lab Director

was not identified to carry any of the mutations tested.



Methods and Limitations

Genotyping: Genotyping is performed using the Illumina Infinium Custom HD Genotyping assay to identify mutations in >200 genes. The assay is not validated for homozygous mutations, and it is possible that individuals affected with disease may not be accurately genotyped.

Spinal Muscular Atrophy: Spinal Muscular Atrophy is tested for via an Identity-by-State shared haplotype comparison algorithm. Detection is limited to haplotypes within our library of known carriers of the most common mutation (deletion of Exon 7). **Limitations:** In some cases, genetic variations other than that which is being assayed may interfere with mutation detection, resulting in false-negative or false-positive results. Additional sources of error include, but are not limited to: sample contamination, sample mixup, bone marrow transplantation, blood transfusions, and technical errors.

The test does not test for all forms of genetic disease, birth defects, and intellectual disability. All results should be interpreted in the context of family history; additional evaluation may be indicated based on a history of these conditions. Additional testing may be necessary to determine mutation phase in individuals identified to carry more than one mutation in the same gene. All mutations included within the genes assayed may not be detected, and additional testing may be appropriate for some individuals.



CarrierMap™

Diseases & Mutations Assayed

🛑 High Impact 🌒 Treatment Benefits 🔵 X-Linked 😑 Moderate Impact

нтхм			Mutations
	Alpha Thalassemia	11	o [*] Genotyping SEA deletion, 11.1kb deletion, c.207C>A (p.N69K), c.223G>C (p.D75G), c.2T>C (p.M1T), c.95+2_95+6delTGAGG, c.207C>G (p.N69K), c.340_351 delCTCCCCGCCGAG (p.L114_ E117del), c.377T>C (p.L126P), c.427T>C (p.X143Qext32), c.*+94A>G
	Beta Thalassemia	84	o ⁶ Genotyping c.124_127delTTCT (p.F42Lfs), c.17_18delCT, c.20delA (p.E7Gfs), c.217insA (p.S73Kfs), c.223+702_444+342del620insAAGTAGA, c.230delC, c.25_26delAA, c.315+1G>A, c.315+21>C, c.316-197C>T, c.316-1461>G, c.315+745C>G, c.316-1G>A, c.316-1G>C, c.316-2A>G, c.316-3C>A, c.316-3C>A, c.4delG (p.V2Cfs), c.51delC (p.K18Rfs), c.93-21G>A, c.92+1G>A, c.92+5G>A, c.92+5G>C, c.92+5G>T, c.92+61>C, c.93-1G>A, c.92+1G>A, c.92+5G>A, c.92+5G>C, c.92+5G>T, c.92+61>C, c.93-1G>A, c.93-1G>T, c50A>C, c.a-78g, c.a- 79g, c.a-81g, c.A52T (p.K18X), c.c-137g, c.c-138t, c.c-151t, c.C118T (p.Q40X), c.G169C (p.G57R), c.G295A (p.V99M), c.G34A (p.V121), c.G415C (p.A139P), c.G47A (p.W16X), c.G48A (p.W16X), c.t-80a, c.T2C (p.M1T), c.T75A (p.G25G), c.444+111A>G, c.g-29a, c.68_74delAAGTTGG, c.G92C (p.R31T), c.27_28insG, c.92+1G>T, c.92+1G>C, c.93- 15T>G, c.93-1G>C, c.112delT, c.G113A (p.W38X), c.G114A (p.W38X), c.126delC, c.444+113A>G, c.250delG, c.225delC, c.383_385delAGG (p.Q128_A129delQAinsP), c.321_322insG (p.N109fs), c.316-1G>T, c.316-2A>C, c.316-106C>T, c.287_288insA (p.197fs), c.271G>T (p.E91X), c.203_204delTG (p.V68Afs), c.154delC (p.P52fs), c.135delC (p.F46fs), c.92+2T>A, c.92+2T>C, c.90C>T (p.G30G), c.59A>G (p.N108), c.14>G (p.M11V), c.c-137t, c.c-136g, c.c-142t, c.c-140t
	Bloom Syndrome	24	of Genotyping c.2207_2212delATCTGAinsTAGATTC (p.Y736Lfs), c.2407insT, c.557_559delCAA (p.S186X), c.1284G>A (p.W428X), c.1701G>A (p.W567X), c.1933C>T (p.Q645X), c.C2528T (p.T843I), c.C2695T (p.R899X), c.G3107T (p.C1036F), c.2923delC (p.Q975K), c.3558+1G>T, c.3875-2A>G, c.2074+2T>A, c.2343_2344dupGA (p.781EfsX), c.380delC (p.127Tfs), c.3564delC (p.1188Dfs), c.4008delG (p.1336Rfs), c.C947G (p.S316X), c.2193+1_2193+9del9, c.C1642T (p.Q548X), c.3143delA (p.1048NfsX), c.356_357delTA (p.Cys120Hisfs), c.4076+1delG, c.C3281A (p.S1094X)
\bullet 0 0 0	Canavan Disease	8	of Genotyping c.433-2A>G, c.A854C (p.E285A), c.C693A (p.Y231X), c.C914A (p.A305E), c.A71G (p.E24G), c.C654A (p.C218X), c.T2C (p.M1T), c.G79A (p.G27R)



Carrier Map™

нтхм			Mutations
	Cystic Fibrosis	147	 d^o Genotyping c.1029delC, 1153_1154insAT, c.1519_1521delATC (p.507dell), c.1521_1523delCTT (p.508delF), c.1545_1546delTA (p.Y515Xfs), c.1585-1G>A, c.164+12T>C, c.1680-886A>G, c.1680-1G>A, c.1766+1G>T, c.1766+5G>T, c.1818del84, c.1911delG, c.1923delCTCAAAACTinsA, c.1973delGAAATTCAATCCTinsAGAAA, c.2052delA (p.K684fs), c.2052insA (p.Q685fs), c.2051_2052delAAinsG (p.K684SfsX38), c.2174insA, c.261delTT, c.2657+5G>A, c.273+1G>A, c.273+3A>C, c.274+1G>A, c.2988+1G>A, c.3039delC, c.3140-26A>G, c.325delTATinsG, c.3527delC, c.3353delACCA, c.3691delT, c.2717+12191C>T, c.3744delA, c.3773_3774insT (p.11258fs), c.42delA, c.489+1G>T, c.251delT, c.579+1G>T, c.579+5G>A (IVS4+5G>A), c.803delA (p.N268fs), c.805_806delAT (p.1269fs), c.933_935delCTT (p.311delF), c.A1645C (p.S549R), c.A2128T (p.X710X), c.C1000T (p.R334W), c.C1013T (p.7388), c.C1364A (p.A455E), c.C1477T (p.Q493X), c.C1527A (p.C524X), c.C1654T (p.R553X), c.C13905T (p.R706X), c.C3276G (p.Y1092X), c.C2472T (p.R1158X), c.C3484T (p.R553X), c.C3909G (p.N1030K), c.G1040A (p.S347N), c.G1040C (p.R347P), c.G1438T (p.G480C), c.G1624T (p.G542X), c.G1646A (p.S549N), c.G178T (p.E60X), c.G1852A (p.G551D), c.G1675A (p.A559T), c.G1679C (p.R560T), c.G178T (p.E60X), c.G1865A (p.G522D), c.G254A (p.G352A (p.E1251N), c.G384A (p.V1282X), c.G3848T (p.R1070Q), c.G326A (p.W1089X), c.G3454C (p.D1152H), c.G350A (p.R117H), c.G381A (p.W1089X), c.G178T (p.E534), c.G171A (p.W57X), c.313delA (p.11054), c.G328C (p.D1101X), c.G384A (p.V1282X), c.G3848T (p.R1070Q), c.G326A (p.G178R), c.G988T (p.G330X), c.11040C (p.R352Q), c.C1075A (p.A359K), c.C1079A (p.S1251N), c.G3846A (p.V1282X), c.G3848T (p.R1070Q), c.G326A (p.G178R), c.G988T (p.G330X), c.11090C (p.S364P), c.13302A (p.R1070Q),
\bullet 0 0 0	Familial Dysautonomia	4	♂ Genotyping c.2204+6T>C, c.C2741T (p.P914L), c.G2087C (p.R696P), c.C2128T (p.Q710X)
• • • • •	Familial Hyperinsulinism: Type 1: ABCC8 Related	10	o [®] Genotyping c.3989-9G>A, c.4159_4161delTTC (p.1387delF), c.C4258T (p.R1420C), c.C4477T (p.R1493W), c.G2147T (p.G716V), c.G4055C (p.R1352P), c.T560A (p.V187D), c.4516G>A (p.E1506K), c.C2506T (p.Q836X), c.579+2T>A
	Fanconi Anemia: Type C	8	♂ Genotyping c.456+4A>T, c.67delG, c.C37T (p.Q13X), c.C553T (p.R185X), c.T1661C (p.L554P), c.C1642T (p.R548X), c.G66A (p.W22X), c.G65A (p.W22X)
	Gaucher Disease	6	♂ Genotyping c.84_85insG, c.A1226G (p.N409S), c.A1343T (p.D448V), c.C1504T (p.R502C), c.G1297T (p.V433L), c.G1604A (p.R535H)
	Glycogen Storage Disease: Type IA	13	d [®] Genotyping c.376_377insTA, c.79delC, c.979_981delTTC (p.327delF), c.C1039T (p.Q347X), c.C247T (p.R83C), c.C724T (p.Q242X), c.G248A (p.R83H), c.G562C (p.G188R), c.G648T, c.G809T (p.G270V), c.A113T (p.D38V), c.975delG (p.L326fs), c.724delC



Carrier Map™

нтхм			Mutations
$\bullet \circ \circ \circ$	Joubert Syndrome	2	o [*] Genotyping c.G35T (p.R12L), c.218G>A (p.R73H)
	Maple Syrup Urine Disease: Type 1B	6	ơ [®] Genotyping c.G1114T (p.E372X), c.G548C (p.R183P), c.G832A (p.G278S), c.C970T (p.R324X), c.G487T (p.E163X), c.C853T (p.R285X)
	Maple Syrup Urine Disease: Type 3	8	o ^a Genotyping c.104_105insA, c.G685T (p.G229C), c.A214G (p.K72E), c.A1081G (p.M361V), c.G1123A (p.E375K), c.T1178C (p.I393T), c.C1463T (p.P488L), c.A1483G (p.R495G)
	Mucolipidosis: Type IV	4	o ^a Genotyping c.406-2A>G, c.G1084T (p.D362Y), c.C304T (p.R102X), c.244delC (p.L82fsX)
$\bullet \circ \circ \circ$	Nemaline Myopathy: NEB Related	1	o [*] Genotyping c.7434_7536del2502bp
	Niemann-Pick Disease: Type A	6	o [≉] Genotyping c.996delC, c.G1493T (p.R498L), c.T911C (p.L304P), c.C1267T (p.H423Y), c.G1734C (p.K578N), c.1493G>A (p.R498H)
	Sickle-Cell Anemia	1	o ^a Genotyping c.A20T (p.E7V)
	Spinal Muscular Atrophy: SMN1 Linked	19	o [®] Genotyping DEL EXON 7, c.22_23insA, c.43C>T (p.Q15X), c.91_92insT, c.305G>A (p.W102X), c.400G>A (p.E134K), c.439_443delGAAGT, c.558delA, c.585_586insT, c.683T>A (p.L228X), c.734C>T (p.P245L), c.768_778dupTGCTGATGCTT, c.815A>G (p.Y272C), c.821C>T (p.T274I), c.823G>A (p.G275S), c.834+2T>G, c.835-18_835- 12delCCTTTAT, c.835G>T, c.836G>T
	Tay-Sachs Disease	76	 Ø^a Genotyping c.1073+1G>A, c.1277_1278insTATC, c.1421+1G>C, c.805+1G>A, c.C532T (p.R178C), c.G533A (p.R178H), c.G805A (p.G269S), c.C1510T (p.R504C), c.G1496A (p.R499H), c.G509A (p.R170Q), c.A1003T (p.I335F), c.910_912deITTC (p.305deIF), c.G749A (p.G250D), c.T632C (p.F211S), c.C629T (p.S210F), c.613deIC, c.A611G (p.H204R), c.G598A (p.V200M), c.A590C (p.K197T), c.571-1G>T, c.C540G (p.Y180X), c.T538C (p.Y180H), c.G533T (p.R178L), c.C508T (p.R170W), c.C409T (p.R137X), c.T380G (p.L127R), c.346+1G>C, c.T116G (p.L39R), c.G78A (p.W26X), c.A1G (p.M1V), c.1495C>T (p.R499C), c.459+5G>A, c.1422-2A>G, c.535C>T (p.H179Y), c.1141deIG (p.V381fs), c.776T>G (p.W266G), c.155C>A (p.S52X), c.426deIT (p.F142fs), c.413-2A>G, c.570+3A>G, c.536A>G (p.H179R), c.1146+1G>A, c.736G>A (p.A246T), c.1302C>G (p.F434L), c.778C>T (p.P260S), c.1008G>T (p.Q336H), c.1385A>T (p.E462V), c.964G>A (p.D322N), c.340G>A (p.E114K), c.1432G>A (p.G478R), c.1178G>C (p.R393P), c.805+1G>C, c.1426A>T (p.R476X), c.623A>T (p.D208V), c.1537C>T (p.Q513X), c.1511G>T (p.R504L), c.1307_1308deITA (p.I436fs), c.571-8A>G, c.624_627deITCCT (p.D208fs), c.1211_1212deITG (p.L404fs), c.621T>G (p.D207E), c.1511G>A (p.R504H), c.1177C>T (p.R393X), c.2T>C (p.M1T), c.1292G>A (p.W431X), c.947_948insA (p.Y316fs), c.607T>G (p.W203G), c.1061_1063deITCT (p.F354_Y355delinsX), c.615deIG (p.1205fs), c.805+2T>C, c.1123deIG (p.E375fs), c.1121A>G (p.Q374R), c.1043_1046deITCAA (p.F348fs), c.1510deIC (p.R504fs), c.1451T>C (p.L484P), c.964G>T (p.D322Y)
\bullet 0 0 0	Usher Syndrome: Type 1F	7	♂ Genotyping c.C733T (p.R245X), c.2067C>A (p.Y684X), c.C7T (p.R3X), c.C1942T (p.R648X), c.1101delT (p.A367fsX), c.2800C>T (p.R934X), c.4272delA (p.L1425fs)
\bullet 0 0 0	Usher Syndrome: Type 3	5	б [®] Genotyping с.Т144G (р.N48K), с.Т359А (р.М120К), с.300Т>G (р.Y176X), с.C634Т (р.Q212X), с.221Т>C (р.L74Р)
\bullet 0 0 0	Walker-Warburg Syndrome	1	o ^a Genotyping c.1167insA (p.F390fs)